

21G^v

ORVR NOZZLE

*21st Century Innovation for
a Cleaner, Greener World!*



BECOMING
COMPLIANT
HAS NEVER BEEN SO
AFFORDABLE
AND
EASY!

OPW 
A **DOVER** COMPANY

ONE COMPANY. ONE WORLD. ONE SOURCE.™

21Gv

ORVR NOZZLE

WITH ACCUFLO™
TECHNOLOGY



The OPW 21Gv ORVR Nozzle is Unlike Any Other ORVR Solution:



ORVR-Compliant:

- Stops excess emissions; reduces environmental footprint
- Reduces health risks; protects the well-being of consumers and employees
- Saves station owners and distributors money



Utilizes Inverted Coaxial Inlet with Standard M34 Threads

- No expensive proprietary hardware necessary
- Change one nozzle at a time
- Most affordable ORVR-compliant solution in the industry

To learn more about the benefits and features of the OPW 21Gv ORVR Nozzle, visit us at: www.21gv.com



21ST Century Innovation That Benefits Your World!

Owners:

- **Most affordable solution**
- Use existing vapor recovery system
- No special hoses or breakaways needed
- Reduces maintenance costs

Regulators:

- **Meets environmental requirements**
- Eliminates excess emissions
- Helps improve air quality and well-being of people and the environment

Service Contractors:

- **Fast. Easy. No special tools required.** Simply change the nozzle

Distributors:

- **Simplify** - stock one nozzle – no special hose, breakaway or expensive hardware required
- Less shelf space for ORVR Compliance

NOTE: U.S. AND OTHER PATENTS PENDING



APPROVED
TEXAS COMMISSION
ON ENVIRONMENTAL
QUALITY



LISTED
VAPOR RECOVERY TYPE HOSE NOZZLE
VALVE FOR FLAMMABLE LIQUIDS
756H

OPW 
A **DOVER** COMPANY

21Gv[™]

ORVR NOZZLE

WITH **ACCUFLO[™]**
TECHNOLOGY

INNOVATIVE. GREEN. ORVR-COMPLIANT

No other ORVR solution delivers the value of the OPW 21Gv Nozzle.



"The 21Gv has simplified ORVR compliance to the degree it's now as quick and easy as changing a nozzle...in fact, that's all it takes!"

Contractor



"The 21Gv has allowed me to significantly reduce my shelf space for ORVR equipment. Now I just stock a single nozzle. What could be better than that?"

Distributor



"I continue to believe you have demonstrated the equipment's superiority over your competitor's versions. A host of users would agree."

Third-Party Test Lab

Nozzle Ordering Specifications

Part #	21Gv ORVR Unleaded with Hold-Open Rack
21GV-0400	Black Hand Insulator

Note: The hold-open rack is easily removed for self-serve applications.

Replacement Parts for 21Gv ORVR Nozzle

Part #	Description
202603	ORVR Spout Adaptor Kit for A/L testing on 21Gv Nozzle
5GV-UNL	Replacement Spout & Boot Kit

Breakaway Ordering Specifications

Part #	Description
66CAS-0300	M34 Standard In-line quick Reconnectable Breakaway
66SRK-1000	Seal Replacement Kit



66CAS-0300 BREAKAWAY

No proprietary breakaway required. Use the same 66CAS-0300 you have trusted for years.



UNDERWRITERS LABORATORIES LISTED

To learn more about the benefits and features of the OPW 21Gv ORVR Nozzle, visit us at: www.21gv.com



LEADING THE WAY!

North America Toll Free – TELEPHONE: (800) 422-2525 ♦ Fax: (800) 421-3297 ♦ Email: domesticsales@opw-fc.com
International – TELEPHONE: (513) 870-3315 or (513) 870-3261 ♦ Fax: (513) 870-3157 ♦ Email: intlsales@opw-fc.com

www.opw-fc.com

OPW Fueling Components ♦ 9393 Princeton-Glendale Road ♦ Hamilton, OH 45011 ♦ Printed in USA

IMPORTANT: NOTICE: FlexWorks by OPW, Inc., VAPORSAVER[™] and all other OPW products must be used in compliance with all applicable federal, state, provincial and local laws, rules and regulations. Product selection must be based on physical specifications and limitations, compatibility with the environment and material to be handled. All illustrations and specifications in this literature are based on the latest production information available at the time of publication. Prices, materials and specifications are subject to change at any time, and models may be discontinued at any time, in either case, without notice or obligation.