civacon™
AN OPW® FLUID TRANSFER GROUP COMPANY

ROMLINK 2-WIRE TANK TRAILER (38' - 52')

PARTS AND ACCESSORIES



PHONE: (888) 526-5657 • FAX: (816) 741-1061
4304 Mattox Road • Kansas City, MO 64150 • **www.civacon.com**

ROMLINK 2-WIRE TANK TRAILER (38' - 52')

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com



A
CIV-B100

CIV-T02

CIV-T03

CIV-T04

CIV-T05

B
CIV-L100

CIV-B100


C
3202RL5-1


3202RL5-B1

D
- 1554-007B
- 1554-0012B
- 1554-0018B

1000RL

E
4102RL

4402RL


4822RL


F
CIV-J100


CIV-L102


CIV-L104

CIV-L108

CIV-L100

CIV-L124


G
CIV-P102

CIV-P104

CIV-P108

H
RHL-2

RHL-1


I
1910A


GS1001

CIV-R100


ASA-1

J
RLT-1


K
3252-3252


1356-2W


- STK-007B
- STK-0012B
- STK-0018B

© Copyright 2010, OPW Fluid Transfer Group

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

	PRODUCT	PRODUCT #	DESCRIPTION
A	WIRE LOOMS	CIV-B100	1 Compartment, Top Probe Harness (CIV-J100 order separately)
		CIV-T02	2 Compartment, Top Probe Harness
		CIV-T03	3 Compartment, Top Probe Harness
		CIV-T04	4 Compartment, Top Probe Harness
		CIV-T05	5 Compartment, Top Probe Harness
B	BODY HARNESS	CIV-L100	Body Harness 16', Connects Retain Harness to Monitor
		CIV-B100	Body Harness 32', Connects Top Harness to Monitor
C	ROM II ONBOARD MONITOR	3202RL5-1	ROM II Onboard Monitor 5 Compartment Monitors includes (1) CIV-R100 and (1) 1910A
		3202RL5-B1	Body Harness 16', Connects Retain Harness to Monitor 5 Compartment Monitors includes (2) CIV-R100 and (1) 1910A
D	2-WIRE OPTIC SENSORS	1554-007B	Coiled Wire Optic Top Sensor w/7" Housing
		1554-0012B	Coiled Wire Optic Top Sensor w/12" Housing
		1554-0018B	Coiled Wire Optic Top Sensor w/18" Housing
		1000RL	2 Wire Retain Sensor
E	TRUCK MOUNTED SOCKETS	4102RL	Optic Socket 1 Male Pigtail 24"
		4402RL	Thermistor Socket 1 Male Pigtail 24"
		4822RL	Dual Socket 1 Male Pigtail 24"
F	6 PIN EXTENSIONS	CIV-J100	2 Pin- 6 Pin Extension (one compartment tanks only)
		CIV-L102	Body Harness Extension 2'
		CIV-L104	Body Harness Extension 4'
		CIV-L108	Body Harness Extension 8'
		CIV-L100	Body Harness Extension 16'
		CIV-L124	Body Harness Extension 24'
G	2 PIN EXTENSIONS	CIV-P102	Cap Extension 2'
		CIV-P104	Cap Extension 4'
		CIV-P108	Cap Extension 8'
H	HUB EXTENSIONS	RHL-2	2 to 1 Socket Hub
		RHL-1	3 to 1 Socket Hub
I	ACCESSORIES	1910A	Internal Terminator
		GS1001	Saf-T Ground Wire Assembly (mounted in socket)
		CIV-R100	6 Pin Monitor Pig Tail
		ASA-1	Air Pressure Switch
J	TESTER	RLT-1	ROMLink Tester
K	REPLACEMENT PARTS	3252-3252	Onboard Monitor
		1356-2W	Cap Coiled Wire Optic Sensor
		STK-007B	Coiled Wire Optic Sensor 7"
		STK-0012B	Coiled Wire Optic Sensor 12"
		STK-0018B	Coiled Wire Optic Sensor 18"

© Copyright 2010, OPW Fluid Transfer Group

ROMLINK 2-WIRE TANK AND TRAILER (38' - 52')

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com



A
CIV-B100

CIV-M02

CIV-M03

CIV-M04

CIV-M05

B
CIV-L100

CIV-B100


C
3202RL5-1


3202RL5-B1

D
- 1554-007B
- 1554-0012B
- 1554-0018B

1000RL

E
4102RL

4402RL


4822RL


F
CIV-J100


CIV-L102


CIV-L104

CIV-L108

CIV-L100

CIV-L124


G
CIV-P102

CIV-P104

CIV-P108

H
RHL-2

RHL-1


I
1910A


GS1001

CIV-R100


ASA-1

J
RLT-1


K
3252-3252


1356-2W


- STK-007B
- STK-0012B
- STK-0018B

© Copyright 2010, OPW Fluid Transfer Group

ROMLINK 2-WIRE TANK AND TRAILER (38' - 52')

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

	PRODUCT	PRODUCT #	DESCRIPTION
A	WIRE LOOMS	CIV-B100	1 Compartment, Top Probe Harness (CIV-J100 order separately)
		CIV-M02	2 Compartment, Top Probe Harness
		CIV-M03	3 Compartment, Top Probe Harness
		CIV-M04	4 Compartment, Top Probe Harness
		CIV-M05	5 Compartment, Top Probe Harness
B	BODY HARNESS	CIV-L100	Body Harness 16', Connects Retain Harness to Monitor
		CIV-B100	Body Harness 32', Connects Top Harness to Monitor
C	ROM II ONBOARD MONITOR	3202RL5-1	ROM II Onboard Monitor 5 Compartment Monitors includes (1) CIV-R100 and (1) 1910A
		3202RL5-B1	Body Harness 16', Connects Retain Harness to Monitor 5 Compartment Monitors includes (2) CIV-R100 and (1) 1910A
D	2-WIRE OPTIC SENSORS	1554-007B	Coiled Wire Optic Top Sensor w/7" Housing
		1554-0012B	Coiled Wire Optic Top Sensor w/12" Housing
		1554-0018B	Coiled Wire Optic Top Sensor w/18" Housing
		1000RL	2 Wire Retain Sensor
E	TRUCK MOUNTED SOCKETS	4102RL	Optic Socket 1 Male Pigtail 24"
		4402RL	Thermistor Socket 1 Male Pigtail 24"
		4822RL	Dual Socket 1 Male Pigtail 24"
F	6 PIN EXTENSIONS	CIV-J100	2 Pin- 6 Pin Extension (one compartment tanks only)
		CIV-L102	Body Harness Extension 2'
		CIV-L104	Body Harness Extension 4'
		CIV-L108	Body Harness Extension 8'
		CIV-L100	Body Harness Extension 16'
		CIV-L124	Body Harness Extension 24'
G	2 PIN EXTENSIONS	CIV-P102	Cap Extension 2'
		CIV-P104	Cap Extension 4'
		CIV-P108	Cap Extension 8'
H	HUB EXTENSIONS	RHL-2	2 to 1 Socket Hub
		RHL-1	3 to 1 Socket Hub
I	ACCESSORIES	1910A	Internal Terminator
		GS1001	Saf-T Ground Wire Assembly (mounted in socket)
		CIV-R100	6 Pin Monitor Pig Tail
		ASA-1	Air Pressure Switch
J	TESTER	RLT-1	ROMLink Tester
K	REPLACEMENT PARTS	3252-3252	Onboard Monitor
		1356-2W	Cap Coiled Wire Optic Sensor
		STK-007B	Coiled Wire Optic Sensor 7"
		STK-0012B	Coiled Wire Optic Sensor 12"
		STK-0018B	Coiled Wire Optic Sensor 18"

© Copyright 2010, OPW Fluid Transfer Group

ROMLINK 2-WIRE TANK TRAILER (38' - 52')

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com



A
CIV-B100

CIV-M02

CIV-M03

CIV-M04

CIV-M05

B
CIV-L100

CIV-B100


C
3202RL5-1


3202RL5-B1

D
- 1554-007B
- 1554-0012B
- 1554-0018B

1000RL

E
4102RL

4402RL


4822RL

F
CIV-J100


CIV-L102

CIV-L104

CIV-L108

CIV-L100

CIV-L124


G
CIV-P102

CIV-P104

CIV-P108

H
RHL-2

RHL-1


I
1910A


GS1001

CIV-R100


ASA-1

J
RLT-1


K
3252-3252


1356-2W


- STK-007B
- STK-0012B
- STK-0018B

© Copyright 2010, OPW Fluid Transfer Group

ROMLINK 2-WIRE TANK TRAILER (38' - 52')

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

	PRODUCT	PRODUCT #	DESCRIPTION
A	WIRE LOOMS	CIV-B100	1 Compartment, Top Probe Harness (CIV-J100 order separately)
		CIV-M02	2 Compartment, Top Probe Harness
		CIV-M03	3 Compartment, Top Probe Harness
		CIV-M04	4 Compartment, Top Probe Harness
		CIV-M05	5 Compartment, Top Probe Harness
B	BODY HARNESS	CIV-L100	Body Harness 16', Connects Retain Harness to Monitor
		CIV-B100	Body Harness 32', Connects Top Harness to Monitor
C	ROM II ONBOARD MONITOR	3202RL5-1	ROM II Onboard Monitor 5 Compartment Monitors includes (1) CIV-R100 and (1) 1910A
		3202RL5-B1	Body Harness 16', Connects Retain Harness to Monitor 5 Compartment Monitors includes (2) CIV-R100 and (1) 1910A
D	2-WIRE OPTIC SENSORS	1554-007B	Coiled Wire Optic Top Sensor w/7" Housing
		1554-0012B	Coiled Wire Optic Top Sensor w/12" Housing
		1554-0018B	Coiled Wire Optic Top Sensor w/18" Housing
		1000RL	2 Wire Retain Sensor
E	TRUCK MOUNTED SOCKETS	4102RL	Optic Socket 1 Male Pigtail 24"
		4402RL	Thermistor Socket 1 Male Pigtail 24"
		4822RL	Dual Socket 1 Male Pigtail 24"
F	6 PIN EXTENSIONS	CIV-J100	2 Pin- 6 Pin Extension (one compartment tanks only)
		CIV-L102	Body Harness Extension 2'
		CIV-L104	Body Harness Extension 4'
		CIV-L108	Body Harness Extension 8'
		CIV-L100	Body Harness Extension 16'
		CIV-L124	Body Harness Extension 24'
G	2 PIN EXTENSIONS	CIV-P102	Cap Extension 2'
		CIV-P104	Cap Extension 4'
		CIV-P108	Cap Extension 8'
H	HUB EXTENSIONS	RHL-2	2 to 1 Socket Hub
		RHL-1	3 to 1 Socket Hub
I	ACCESSORIES	1910A	Internal Terminator
		GS1001	Saf-T Ground Wire Assembly (mounted in socket)
		CIV-R100	6 Pin Monitor Pig Tail
		ASA-1	Air Pressure Switch
J	TESTER	RLT-1	ROMLink Tester
K	REPLACEMENT PARTS	3252-3252	Onboard Monitor
		1356-2W	Cap Coiled Wire Optic Sensor
		STK-007B	Coiled Wire Optic Sensor 7"
		STK-0012B	Coiled Wire Optic Sensor 12"
		STK-0018B	Coiled Wire Optic Sensor 18"

© Copyright 2010, OPW Fluid Transfer Group

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

ROMLINK™ CHASSIS MOUNTED TANK TOP HARNESS

CIV-TM05



CIV-M04



CIV-M03



CIV-M02



CIV-J100



For a single compartment tank truck P/N CIV-J100 adaptor is needed to adapt the sensor's 2-Pin connector to the 6-Pin Body Harness (shown on next page).

© Copyright 2010, OPW Fluid Transfer Group

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

ROMLINK™ BODY HARNESSES EXRTENSIONS (6-PIN)

CIV-B100



CIV-L124



CIV-L100





CIV-L108



CIV-L104



CIV-L102

SENSOR EXTENSIONS (2 - PIN)

CIV-P108



CIV-P104



CIV-P102



SENSOR PIGTAIL LENGTH (same for all P/N's)



SOCKET PIGTAIL LENGTH (same for Dual or Single P/N's)



© Copyright 2010, OPW Fluid Transfer Group

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

ROMLINK™ TRAILER TOP / BOTTOM HARNESS

CIV-T05



CIV-T04



CIV-T03



CIV-T02



CIV-J100



For a single compartment trailer P/N CIV-J100 adaptor is needed to adapt the sensor's 2-Pin connector to the 6-Pin Body Harness (shown on next page).

© Copyright 2010, OPW Fluid Transfer Group

PHONE: (888) 526-5657 • FAX: (816) 741-1061 • 4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com

ROMLINK™ BODY HARNESSES EXTENSIONS (6 - PIN)

CIV-B100



CIV-L124



CIV-L100





CIV-L108



CIV-L104



CIV-L102

SENSOR EXTENSIONS (2 - PIN)

CIV-P108



CIV-P104



CIV-P102



SENSOR PIGTAIL LENGTH (same for all P/N's)



SOCKET PIGTAIL LENGTH (same for Dual or Single P/N's)



© Copyright 2010, OPW Fluid Transfer Group

civacon™

AN OPW® FLUID TRANSFER GROUP COMPANY

OPW FLUID TRANSFER GROUP IS THE MARKET LEADING SUPPLIER OF ENGINEERING PRODUCTS FOR FLUID TRANSFER

OPW Fluid Transfer Group (OPWFTG), part of Dover Corporation (NYSE:DOV), is comprised of market-leading operating companies, each dedicated to designing, manufacturing and distributing world-class solutions for the safe handling and transporting of hazardous bulk products. In addition to these companies, OPWFTG has manufacturing plants in North America, Europe, Brazil and India; and sales offices in Singapore, and China.

Throughout the world, OPWFTG companies are hard at work ensuring the safe processing, loading, transporting and unloading of hazardous bulk products and safeguarding against costly petroleum and chemical spills, tank overfills and fugitive vapor emissions. Whether your need is in the chemical plant, at the terminal loading rack, or outfitting a fleet of rail tank cars, cargo tanks or dry-bulk trailers, OPWFTG systems set the standard for safety, performance and peace-of-mind assurance in the most rigorous and demanding applications. If the safe, profitable handling of hazardous liquids and dry bulk commodities such as gasoline and diesel, chlorine, chlor-alkali products, LPG, acids, cement, flour and starch, among others, is your concern, trust OPWFTG.



civacon™

AN OPW® FLUID TRANSFER GROUP COMPANY

PHONE: (888) 526-5657 • FAX: (816) 741-1061
4304 Mattox Road • Kansas City, MO 64150 • www.civacon.com