



EU-TYPE EXAMINATION CERTIFICATE

Directive 2014/34/EU of the European Parliament and of the Council of 26 February 2014

EU-Type Examination Certificate Number: **Sira 14ATEX9131U** Issue: **5**

Component: **68SB NOZZLE SWIVEL BREAKAWAY**
68SB-NR NOZZLE SWIVEL BREAKAWAY

Manufacturer: **OPW Fuelling Components/Fibrelite Composites Ltd**

Address: Snaygill Industrial Estate
Keighley Rd
Skipton
N. Yorkshire
BD23 2QR
United Kingdom

This product and any acceptable variation thereto, is specified in the schedule to this certificate and the documents therein referred to.

CSA Group Netherlands B.V., Notified Body No. 2813 in accordance with Article 17 of the Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in item 16.2.

Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 13617-2:2021 EN 13617-4:2021

Where additional criteria beyond those given here have been used, they are listed in item 18 in the Schedule.

The sign "U" placed after the certificate number indicates that this certificate should not be confused with certificates issued for equipment or protective systems. This partial certification may be used as a basis for certification of equipment or protective systems. A "Schedule of limitations" is listed in item 17 of this certificate.

This EU-Type Examination Certificate relates only to the technical design of the specified product in accordance with the Directive 2014/34/EU. Further requirements of the Directive apply to the manufacturing process and supply of this product, these are not covered by this certificate.

The marking of the product shall include the following (additional marking is provided in the Schedule as a part of item 15, if applicable):



II 2G

EN13617-2 Type 1

EN13617-4



FLOW

Signed: M Halliwell
Title: Senior Director of Operations
Date: 02 April 2026



This certificate and its schedule may only be reproduced in its entirety and without change.
CSA Group Netherlands B.V. Utrechtseweg 310, Building B42, 6812AR Arnhem, The Netherlands.



SCHEDULE

13

14 **EU-Type Examination Certificate Number:** Sira 14ATEX9131U Issue: 5

15 **Description:**

The 68SB series nozzle breakaways are designed for use at liquid fuel dispensing facilities and used as part of the dispenser/pump hanging hardware. The nozzle breakaway is typically installed between the fuel hose and the nozzle allowing for safe separation of the nozzle from the hose in the event of a vehicle 'drive-off'. Instructions and marking for the 68SB require reconnection by authorized personnel only and to remove the device from the hose and nozzle and to inspect for damage before reconnection. The 68SB nozzle breakaways are designed to allow for reconnection. The 68SB-NR nozzle breakaways are designed to NOT allow reconnection or re-use once separated.

The main metal content is that of aluminium and stainless steel which are used in the construction of the housing and spud which form the main constructional external features of the component. All materials used in the swivel/safe break construction are listed on the GA drawings. The content of the materials does not raise a risk of galvanic reaction or any reactive action with the fuels for which the equipment has been designed to be in contact with.

Variation 1 - This variation introduced the following changes:

- i. The OPW Fuelling Components (USA) address was removed from the certificates
Change name of component from 'Avance Models ACNSB & AHNSB' to '68SB NOZZLE SWIVEL BREAKAWAY'.

Variation 2 - This variation introduced the following change:

- i. To record a change to the applicant/manufacture's name and address:

From	To
Dover CR Spol s.r.o (OPW Fuelling Components Europe) Prumyslav 4, 431 51 Klasterec nad Ohri, Czech Republic.	OPW Fuelling Components/Fibrelite Composites Ltd. Snaygill Industrial Estate Keighley Rd Skipton N. Yorkshire BD23 2QR United Kingdom

Variation 3 - This variation introduced the following change:

- i. The introduction of "non-reusable" construction variations to the 68SB (68SB-NR) nozzle breakaway, as a result the product description was amended.

Variation 4 - This variation introduced the following change:

- i. Following appropriate assessment to demonstrate compliance with the latest technical knowledge, EN 13617-2:2012 has been replaced by EN 13617-2:2021 and EN 13617-4:2012 has been replaced by EN 13617-4:2021.

16 **Drawings and documents:**

16.1 **Technical documents:**

Refer to Certificate Annex.





16.2 **Associated reports and certificate history:**

Issue	Date	Report number	Comment
0	21 August 2014	R70006639A	The release of the prime certificate.
1	10 October 2018	R70192596A	This Issue covers the following changes: • EC-Type Examination Certificate in accordance with 94/9/EC updated to EU-Type Examination Certificate in accordance with Directive 2014/34/EU. <i>(In accordance with Article 41 of Directive 2014/34/EU, EC-Type Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Variations to such EC-Type Examination Certificates may continue to bear the original certificate number issued prior to 20 April 2016.)</i> • The Introduction of Variation 1.
2	31 October 2019	1825	Transfer of certificate Sira 14ATEX9131U from Sira Certification Service to CSA Group Netherlands B.V.
3	14 January 2022	R80090704A	The introduction of Variation 2.
4	20 June 2023	R80151561A	The introduction of Variation 3.
5	02 April 2026	R80254807A	The introduction of Variation 4.

17 **Schedule of limitations** (denoted by "U" after the certificate number):

17.1 The service temperature range of -20°C to +40°C for these components shall be observed.

18 **Essential health and safety requirements of Annex II** (EHSRs):

The relevant EHSRs that are not addressed by the standards listed in item 9 of this certificate have been identified and conformity of the product demonstrated in the reports listed in item 16.2.

19 **Remarks and additional information:**

The use of this certificate is subject to the regulations applicable to holders of CSA Group Netherlands B.V. certificates.

Compliance of the product with the applicable safety requirements of the relevant industrial standards has not been verified and is not covered by this certificate.

19.1 **Conditions of manufacture:**

19.1.1 Each component manufactured will be subject to the routine testing as described in Clause 8, Table 4 of EN 13617-4 and Clause 8, Table 4 of EN13617-2.



This certificate and its schedule may only be reproduced in its entirety and without change.
CSA Group Netherlands B.V. Utrechtseweg 310, Building B42, 6812AR Arnhem, The Netherlands.



Certificate Annexe

Document History

Issue – 0

Documents Introduced or Revised

Drawing	Sheets	Rev.	Date (Stamp)	Title
207269	1 of 1	A	12 Aug 14	Assembly Nozzle Swivel/Breakaway

Issue – 1

Documents Introduced or Revised

Drawing	Sheets	Rev.	Date (Stamp)	Title
207269	1 of 1	B	27 Sep 18	68 SB Nozzle Swivel Break Away

Issue – 2 - No new drawings were introduced.

Issue – 3

Documents Introduced or Revised

Drawing	Sheets	Rev.	Date (Stamp)	Title
207269	1 of 1	C	19 Nov 21	68SB Nozzle Swivel Breakaway

Issue – 4

Documents Introduced or Revised

Drawing	Sheets	Rev.	Date (Stamp)	Title
216738	1 of 1	A	31 May 23	68SB-NR Nozzle Swivel Breakaway

Issue – 5

Documents Introduced or Revised

Drawing	Sheets	Rev.	Date (Stamp)	Title
207269	1 of 1	D	10 Mar 26	68SB Nozzle Swivel Breakaway
216738	1 of 1	C	10 Mar 26	68SB-NR Nozzle Swivel Breakaway

This annexe may only be reproduced in its entirety and without change.
CSA Group Netherlands B.V. Utrechtseweg 310, Building B42, 6812AR Arnhem, The Netherlands.