DISCOVER SUMP'THN EXTRAORDINARY















OPW brings you a new dispenser sump that delivers cost-effective peace of mind for retail fueling operators. The innovative DSE combines superior design, premium materials and world-class manufacturing expertise without breaking the bank, and its fast, reliable construction means it's ready to slot into your station right away.

Nothing Else Stacks Up... or Unstacks as Easily!







Stacked with Features

While some dispenser sumps are bulky and hard to store, the DSE is designed to stack to make storage simple. The DSE's universal base is sized to nest perfectly inside itself, while the feet and specialized grooves help it to unstack with ease.

Smooth Sides, Inside and Out

As the only manufacturer in the industry using Advanced Composite Technology, OPW's DSE is the only fiberglass dispenser sump with smooth walls on the inside and outside of the sump. Smooth sides bond better to prevent leaks and other maintenance needs. **Any Pipe, Any Fittings** DSE Dispenser Sumps fit into your existing dispensing network with ease. The sump base is designed to create strong bonds with fiberglass and flexible pipe and fittings.



ONE OF A KIND



PREMIUM CONSTRUCTION

Advanced Composite Technology results in a robust product that operators can depend on to be high-quality every time.



READY WHEN YOU NEED THEM

Efficient manufacturing creates the industry's shortest lead times and easy installation.



CONSISTENT QUALITY EVERY TIME

Consistent wall thickness, material blend, shape and detail on every sump.

THE NO-BRAINER SECONDARY CONTAINER

Most dispenser sumps force fueling station operators to choose between quality, speed or value. The new DSE Dispenser Sump from OPW is designed to deliver all three: best-in-class quality, fast lead times and affordability without sacrificing performance.

FEATURE	COMPETITOR	OPW	VALUE		
Advanced Composite Manufacturing Technology	Q	0	Provides dependable quality each and every time with consistent wall thickness, material blend, sump shape and detail		
Quick and Efficient Manufacturing Time per Unit	Q	0	Shortest lead time of any fiberglass sump in the industry; best value for the price on the market		
Designed for Easy Nesting, Stacking and Unstacking	Q	0	Maximizes distributor warehouse, construction trailer and jobsite space; lowers shipping costs		
Smooth Surface on Both Sides of the Sump Wall	•	0	Enhanced leak-resistant sealing surface for all types of entry fittings		
One Base for All Dispenser Models	Q	0	Reduces distributor inventory and improves ease of ordering; all sump models are conduitless with wide access		
Closed-Molded Manufacturing Process	Q	0	Eliminates worker and environmental exposure to resin vapors or glass fibers		
Backed by OPW	Q	0	Legendary OPW quality, service, support and value		





ORDER YOURS TODAY

Ordering Specifications - DSE Dispenser Sumps

Dimensions

Sump Model #	Α		В		С		D	
	in.	cm	in.	cm	in.	cm	in.	cm
DSE-1836	20.22	51.36	17.20	43.69	44.11	112.04	35.90	91.19
DSE-1543	17.18	43.64	14.60	37.084	45.90	116.59	38.90	98.81
DSE-1741	18.50	46.99	16.70	42.42	44.20	112.29	38.10	96.774



Separate Component Part Numbers

Decription
Description: DSE Universal Base. Combines with any DSE top.
Gilbarco Encore Top. Combine with DSE-BASE to make DSE-1836
Wayne Ovation Top. Combine with DSE-BASE to make DSE-1543
Wayne Helix Top. Combine with DSE-BASE to make DSE-1741

DISCOVER SUMP'THN EXTRAORDINARY

LEARN MORE. VISIT US AT opwglobal.com/DSE



3250 US-70 BUS • Smithfield, North Carolina USA 27577 • Phone: (800) 422-2525 • Fax: (800) 421-3297

NOTE: All information subject to engineering and/or other changes. All trade names are copyrighted. Patents Pending. ©2021 OPW Retail Fueling. ©2021 Delaware Capital Formation, Inc. All Rights Reserved. DOVER and the DOVER logo are registered trademarks of Delaware Capital Formation, Inc., a wholly-owned subsidiary of Dover Corporation.