



Hose & Hose Assemblies

OPW CNG Hose Assemblies are designed for dispensing compressed natural gas at working pressures to 5000 psi. Constructed of high-strength conductive polymer core tubing to dissipate static charge, all OPW hose assemblies conform to NFPA 52 and AGA/CGA, ANSI NGV 4.2.

Features

- ◆ **Quality Construction** - high-strength, reinforced synthetic fiber braid, electrically conductive polymer core tubing dissipates static electrical buildup while protecting the hose from wear and tear with an abrasion-resistant polymer cover.
- ◆ **Quality Tested** - All hoses conform to CSA 12.52. Hose assemblies are leak-proof tested and conductively tested. All hose assemblies conform to NFPA 52 and AGA/CGA, ANSI NGV 4.2.
- ◆ **Available In Standard NGV-1 and Heavy-Duty Dual Hose Sizes**

Materials

Fittings: Plated steel/
316 stainless steel




- ◆ **Hose Assemblies Complete With Filling Line, Vent Line Breakaways, and Nozzles** - Dispenser thread-ready and fully tested kits available for all Type 1, Type 2 and high-flow nozzle applications.
- ◆ **Custom Lengths, Fittings and Sizes Available** - Please forward specific design requirements to OPW.

Specifications:

Temperature Range: -40° F to 185° F (-40° C to 85° C)
MAWP: 5000 psi (345 Bar)

ASSEMBLY DEPICTION ONLY – For specific design requirements, contact OPW



Ordering Specifications: Contact OPW for Alternate Configurations

NOTE: All hoses have a Maximum Allowable Working Pressure of 5000 PSI / 345 BAR

Listings and Certifications:

See page 33 for component listings & certifications

Product # Hoses	Item Description: Replacement hose only. Fittings NOT included	Dispenser Connection Fill Hose	Dispenser Connection Vent Hose	Hose Cross Reference
42034	2' WHIP HOSE (3/8" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-11, LDCNGHOSE-11W
42035	10' MAIN HOSE (3/8" FILL, 1/4" VENT)	N/A	N/A	CNGHOSE122, LDCNGHOSE-20TF
204356	2' WHIP HOSE (1/2" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	HDCNGHOSE-11
204357	11' MAIN HOSE (1/2" FILL, 1/4" VENT)	N/A	N/A	CNGHOSE5
207173	8.3' MAIN HOSE (3/8" FILL, 1/4" VENT)	N/A	N/A	LDCNGHOSE-11, LDCNGHOSE-11FLB
207174	8.3' MAIN HOSE (1/2" FILL, 1/4" VENT)	N/A	N/A	HDCNGHOSE-11, HDCNGHOSE-11FLB
207786	13' MAIN HOSE (3/8" FILL, 1/4" VENT)	N/A	N/A	LDCNGHOSE-15, LDCNHOSE-15A
207880	2' WHIP HOSE (1/4" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGHOSE-14, TFCNGHOSE-20, TFCNGKIT-14C36, TFCNGKIT-20B36
207890	18' MAIN HOSE (1/4" FILL, 1/4" VENT)	N/A	N/A	TFCNGHOSE-20, TFCNGKIT-20B36
207953	17" NOZZLE FLEX HOSE (-6 HOSE, 1/4 NPT TO #6 SAE O-RING)	N/A	N/A	3WV-44D, 3WV-44DP30, 3WV-DP36, 3WV-46D, 3WV-46DP30, 3WV-46DP36, TFCNGKIT-20D36, XFLDCNGKIT-50
208122	8.3' MAIN HOSE (3/8" FILL, 1/4" VENT)	N/A	N/A	LDCNGHOSE-11W, LDCNGKIT-11W
208408	2' WHIP HOSE (3/8" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-15A
208523	12' MAIN HOSE (1/4" FILL, 1/4" VENT)	N/A	N/A	TFCNGKIT-20D36, TFCNGHOSE-14, TFCNGHOSE-12-8, TFCNGKIT-14C36
208989	2' WHIP HOSE (3/4" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 1-1/16" -12 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	XHDCNGHOSE-10
208990	8.3' MAIN HOSE (3/4" FILL, 1/4" VENT)	N/A	N/A	XHDCNGHOSE-10
209413	10' (3/8") CNG HOSE - Breakaway to Defuel Panel - For Defuel Panel Kit	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	N/A	LDCNGDPK-12
209414	2' (3/8") CNG HOSE - BDN to Breakaway Hose for Defuel Panel Kit	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	N/A	LDCNGDPK-12

Product # Hoses	Item Description: Replacement hose only. Fittings NOT included	Dispenser Connection Fill Hose	Dispenser Connection Vent Hose	Hose Cross Reference
209435	2' WHIP HOSE (1/2" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	CNGHOSE5, HDCNGHOSE-11FLB, HDCNGKIT-11FLB
209443	2' WHIP HOSE (3/8" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	CNGHOSE122, LDCNGHOSE-15, LDCNGHOSE-11FLB, LDCNGKIT-11FLB, LDCNGKIT-12
209624	8' WHIP HOSE (1/4" FILL, 1/4" VENT)	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGHOSE-12-8, TFCNGKIT-HOSE-12-8, TFCNGKIT-20D36
209626	25' CNG HOSE (3/8" FILL, 1/4" VENT) - For 50' CNG Transfer Kit	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	XFLDCNGKIT-50
209627	25' CNG HOSE (3/8" FILL, 1/4" VENT) - For 50' CNG Transfer Kit	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	XFLDCNGKIT-50
Product # Hose Sets	Item Description: Includes Fittings and Labor to Assemble	Dispenser Connection Fill Hose	Dispenser Connection Vent Hose	Hose Cross Reference
CNGHOSE122	2' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 10' MAIN HOSE (3/8" FILL, 1/4" VENT) (209443 & 42035 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGKIT-12, 209443 & 42035
CNGHOSE5	2' WHIP HOSE (1/2" FILL, 1/4" VENT) plus 11' MAIN HOSE (1/2" FILL, 1/4" VENT) (209435 & 204357 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	209435 & 204357
HDCNGHOSE-11	2' WHIP HOSE (1/2" FILL, 1/4" VENT) plus 8.3' MAIN HOSE (1/2" FILL, 1/4" VENT) (204356 & 207174 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	HDCNGKIT-11, 204356 & 207174
HDCNGHOSE-11FLB	2' WHIP HOSE (1/2" FILL, 1/4" VENT) plus 8.3' MAIN HOSE (1/2" FILL, 1/4" VENT) (209435 & 207174 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	HDCNGKIT-11FLB, 209435 & 207174
LDCNGHOSE-11	2' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 8.3' MAIN HOSE (3/8" FILL, 1/4" VENT) (42034 & 207173 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGKIT-11, 42034 & 207173
LDCNGHOSE-11FLB	2' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 8.3' MAIN HOSE (3/8" FILL, 1/4" VENT) (209443 & 207173 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGKIT-11FLB, LDCNGKIT-11FLB-PG81P36, 209443 & 207173
LDCNGHOSE-11W	2' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 8.3' MAIN HOSE (3/8" FILL, 1/4" VENT) (42034 & 208122 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGKIT-11W, 42034 & 208122
LDCNGHOSE-15	2' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 13' MAIN HOSE (3/8" FILL, 1/4" VENT) (209443 & 207786 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	209443 & 207786
LDCNGHOSE-15A	2' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 13' MAIN HOSE (3/8" FILL, 1/4" VENT) (208408 & 207786 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGKIT-15A, 208408 & 207786
LDCNGHOSE-20TF	10' WHIP HOSE (3/8" FILL, 1/4" VENT) plus 10' MAIN HOSE (3/8" FILL, 1/4" VENT) (42035 & 42035 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGKIT-20B36 & 42035
TFCNGHOSE-12-8	8' WHIP HOSE (1/4" FILL, 1/4" VENT) plus 12' MAIN HOSE (1/4" FILL, 1/4" VENT) (209624 & 208523 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGKIT-20D36, 209624 & 208523
TFCNGHOSE-14	2' WHIP HOSE (1/4" FILL, 1/4" VENT) plus 12' MAIN HOSE (1/4" FILL, 1/4" VENT) (207880 & 208523 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGKIT-14C36, 207880 & 208523
TFCNGHOSE-20	2' WHIP HOSE (1/4" FILL, 1/4" VENT) plus 18' MAIN HOSE (1/4" FILL, 1/4" VENT) (207880 & 207890 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGKIT-20B36, 207880 & 207890
XHDCNGHOSE-10	2' WHIP HOSE (3/4" FILL, 1/4" VENT) plus 8.3' MAIN HOSE (3/4" FILL, 1/4" VENT) (208989 & 208990 plus adaptors)	SAE (JIC) 37 DEGREE SWIVEL 1-1/16" -12 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	XHDCNGKIT-10, 208989 & 208990
Product # Hose-Breakaways- Nozzle Assemblies	Item Description: Includes Fittings, and OPW Pressure Testing of Complete Assembly	Dispenser Connection Fill Hose	Dispenser Connection Vent Hose	Hose Cross Reference
HDCNGKIT-11	2' WHIP HOSE (1/2" FILL, 1/4" VENT), 8.3' MAIN HOSE (1/2" FILL, 1/4" VENT), ILB-5, NGVLB, CT50005	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	HDCNGHOSE-11
HDCNGKIT-11FLB	2' WHIP HOSE (1/2" FILL, 1/4" VENT), 8.3' MAIN HOSE (1/2" FILL, 1/4" VENT), CNGBREAKKIT-5000, CT50005	SAE (JIC) 37 DEGREE SWIVEL 7/8" -14 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	HDCNGHOSE-11FLB
LDCNGDKP-12	BDN, 2' MAIN HOSE (3/8"), FLB-1000, 10' WHIP HOSE (3/8") to Defuel Panel	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	N/A	209414 & 209413
LDCNGKIT-11	2' WHIP HOSE (3/8" FILL, 1/4" VENT), 8.3' MAIN HOSE (3/8" FILL, 1/4" VENT), ILB-1, NGVLB, CT1000P36S	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-11
LDCNGKIT-11FLB	2' WHIP HOSE (3/8" FILL, 1/4" VENT), 8.3' MAIN HOSE (3/8" FILL, 1/4" VENT), CNGBREAKKIT-1000, CT1000P36S	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-11FLB
LDCNGKIT-11FLB-PG81P36	2' WHIP HOSE (3/8" FILL, 1/4" VENT), 8.3' MAIN HOSE (3/8" FILL, 1/4" VENT), CNGBREAKKIT-1000, PG81P36	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-11FLB
LDCNGKIT-12	2' WHIP HOSE (3/8" FILL, 1/4" VENT), 10' MAIN HOSE (3/8" FILL, 1/4" VENT), CNGBREAKKIT-1000, CT1000P36S	SAE (JIC) 37 DEGREE SWIVEL 3/4" -16 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	CNGHOSE122
LDCNGKIT-15A	2' WHIP HOSE (3/8" FILL, 1/4" VENT), 13' MAIN HOSE (3/8" FILL, 1/4" VENT), CNGBREAKKIT-1000, CT1000SS	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-15A
LDCNGKIT-20B36	10' WHIP HOSE (3/8" INLET, 1/4" VENT), 10' MAIN HOSE (3/8" INLET, 1/4" VENT), CNGBREAKKIT-1000, 3WV-46BP36	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	LDCNGHOSE-20TF
TFCNGKIT-14C36	2' WHIP HOSE (1/4" FILL, 1/4" VENT), 12' MAIN HOSE (1/4" FILL, 1/4" VENT), CNGBREAKKIT-1000, 3WV-44CP36	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGHOSE-14
TFCNGKIT-20B36	2' WHIP HOSE (1/4" FILL, 1/4" VENT), 18' MAIN HOSE (1/4" FILL, 1/4" VENT), CNGBREAKKIT-1000, 3WV-44BP36	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGHOSE-20
TFCNGKIT-20D36	8' WHIP HOSE (1/4" FILL, 1/4" VENT), 12' MAIN HOSE (1/4" FILL, 1/4" VENT), CNGBREAKKIT-1000, 3WV-44DP36	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 7/16" -20 FEMALE THREAD	TFCNGHOSE-12-8
XFLDCNGKIT-50	BDN + 3WV-46D, 25' HOSE (3/8" FILL, 1/4" VENT) 209627, CNGBREAKKIT-1000, 25' HOSE (3/8" FILL, 1/4" VENT) 209626, CT1000P36S	N/A	N/A	209627, 209626 & 207953
XHDCNGKIT-10	2' WHIP HOSE (3/4" FILL, 1/4" VENT), 8.3' MAIN HOSE (3/4" FILL, 1/4" VENT), CNGBREAKKIT-5000, CT50005	SAE (JIC) 37 DEGREE SWIVEL 1-1/16" -12 FEMALE THREAD	SAE (JIC) 37 DEGREE SWIVEL 9/16" -18 FEMALE THREAD	XHDCNGHOSE-10

CleanEnergy Nozzle Compatibility Matrix



	CNG Nozzles	CNG Breakaways		NEW CNG Breakaways & CNGBREAKKITS			Standard NGV1 CNG Receptacles NOTE: These use Receptacle Fit Gage RINGO-0001						High Flow CNG Receptacles NOTE: These use Receptacle Fit Gage RINGO-0005						Nozzle Gages					
		ILB-1	ILB-5	FLB 1000 & CNG BREAK KIT-1000	FLB 5000 & CNG BREAK KIT-5000	NGVLB	LB30	LD30	LE30	LB36	LD36	LE36	CL40	CL4078	CL50	CL5000	CL5016	CL5078	JAWGO -1	JAWGO -5				
NGV1	Type 1	PGXXP30	✓	X	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	X		
		PGXXP36	✓	X	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	X	
		CT1000SS (3,000 psi/ 200 bar)	✓	X	✓	X	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	X
		CT1000P36S (3,600 psi/ 250 bar)	✓	X	✓	X	✓	X	X	X	✓	✓	✓	X	X	X	X	X	X	X	✓	✓	✓	X
	Type 2 & 3	CC300P30S (3,000 psi/ 200 bar)	✓	X	✓	X	✓	✓	✓	✓	✓	✓	X	X	X	X	X	X	X	✓	✓	✓	X	
		CC300P36S (3,600 psi/ 250 bar)	✓	X	✓	X	✓	X	X	X	✓	✓	X	X	X	X	X	X	X	✓	✓	✓	X	
		CC600S (3,000 psi/ 200 bar)	✓	X	✓	X	✓	✓	✓	✓	✓	✓	X	X	X	X	X	X	X	✓	✓	✓	X	
		CC600P36S (3,600 psi/ 250 bar)	✓	X	✓	X	✓	X	X	X	✓	✓	X	X	X	X	X	X	X	✓	✓	✓	X	
	Type 3	CC600 Series Nozzle including 3-Way Valve (3WV series) (3,600 psi/250 bar & 3,000 psi/200 bar)	✓	X	✓	X	✓	✓	✓	✓	✓	✓	X	X	X	X	X	X	X	✓	✓	✓	X	
		CC250 (3,000 psi/200 bar)	✓	X	✓	X	✓	✓	✓	✓	✓	✓	X	X	X	X	X	X	X	X	X	X	X	
Bus / High Flow	Type 1	CT5000S (3,600 psi/250 bar)	X	✓	X	✓	✓	X	X	X	X	X	X	X	X	X	X	X	X	✓	✓	X		
	Type 2	CC6000 (3,600 psi/250 bar)	X	✓	X	✓	✓	X	X	X	X	X	X	X	X	X	X	X	X	X	✓	✓		
CNG Defueling	BDN (3,600 psi/250 bar)	✓	X	✓	X	✓	✓	✓	✓	X	✓	✓	X	X	X	X	X	X	✓	✓	✓	X		

CleanEnergy Hose Kit Compatibility Matrix

Fully Factory Assembled and Tested



			Time Fill			Light Duty (LD)					Heavy Duty (HD)		Extra Heavy Duty (XHD)	Defueling		
			2' Whip Hose / 14' Main Hose	2' Whip Hose / 18' Main Hose	8' Whip Hose / 12' Main Hose	2' Whip Hose / 8.3' Main Hose	2' Whip Hose / 8.3' Main Hose	2' Whip Hose / 10' Main Hose	2' Whip Hose / 13' Main Hose	2' Whip Hose / 13' Main Hose	2' Whip Hose / 13' Main Hose	2' Whip Hose / 8.3' Main Hose	2' Whip Hose / 8.3' Main Hose	2' Whip Hose / 8.3' Main Hose	10' Whip Hose / 2' Main Hose	25' Whip Hose / 25' Main Hose
Hose Kit Component			TFCNG KIT-14C36	TFCNG KIT-20B36	TFCNG KIT-20D36	LDCNG KIT-11	LDCNG KIT-11 FLB	LDCNG KIT-12	LDCNG KIT-15A	LDCNG KIT-20B36	HDCNG KIT-11	HDCNG KIT-11FLB	XHDCNG KIT-10	LDCN DPK-12	XFLDCNG KIT-50	
Nozzles	NGV1	Type 1	PGXXP30	X	X	X	Contact OPW for Quote					X	X	X	X	X
		PGXXP36	X	X	X	Contact OPW for Quote					X	X	X	X	X	
		CT1000SS	X	X	X	X	X	X	✓	X	X	X	X	X	X	X
		CT1000P36S	X	X	X	✓	✓	✓	X	X	X	X	X	X	X	✓
	Type 2 & 3	CC600 Nozzle including 3-Way Valve	✓	✓	✓	X	X	X	X	✓	X	X	X	X	X	
	Bus / High Flow	Type 1	CT5000S	X	X	X	X	X	X	X	X	✓	✓	✓	X	X
	Defueling	BDN	X	X	X	X	X	X	X	X	X	X	X	✓	✓ with 3WV-46D	
Fill Line Break-aways	Standard Duty	ILB-1	X	X	X	✓	X	X	X	X	X	X	X	X	X	
		FLB-1000	X	X	X	X	X	X	X	X	X	X	X	✓	X	
		CNGBREAK KIT-1000	✓	✓	✓	X	✓	✓	✓	✓	X	X	X	X	✓	
Fill Line Break-aways	Bus / High Flow	ILB-5	X	X	X	X	X	X	X	X	✓	X	X	X	X	
		FLB-5000	X	X	X	X	X	X	X	X	X	X	X	X	X	
		CNGBREAK KIT-5000	X	X	X	X	X	X	X	X	X	✓	✓	X	X	
Vent Line Breakaways	NGVLB	✓	✓	X	✓	X	✓	✓	✓	✓	✓	✓	X	✓		
Hose Retractor	6102-CNG	X	X	X	✓	✓	✓	✓	✓	X	X	X	X	✓		
	6102-CNG2	X	X	X	X	X	X	X	X	X	X	X	X	X		
	6102-CNG3	X	X	X	X	X	X	X	X	✓	✓	X	X	X		
	6102-CNG4	✓	✓	✓	X	X	X	X	X	X	X	X	X	X		