

LEADING THE WAY IN E85 FUELING INNOVATION

*From the Top of the Dispenser
to the Bottom...We've Got The **GREEN** Solution
You Need for Ethanol Applications!*

21Ge 
ETHANOL NOZZLE




66V-0492
3/4" Single Use Breakaway



241TPS-0492
3/4" Two-Plane Swivel



10 Plus Series
Emergency Shut-Off Valve



OPW 
A **DOVER** COMPANY

ONE COMPANY. ONE WORLD. ONE SOURCE.™

INTRODUCING THE MOST COMPREHENSIVE ETHANOL APPR

OPW is excited to announce the introduction of the OPW 21Ge. The 21Ge, 241TPS, 66V, and 10 Plus Series are OPW's complete dispenser




21Ge ETHANOL NOZZLE

- Easy to use – Utilizing Accu-Stop® to-the-penny Flow Control Technology
- Comfortable to use – OPW's unique 2-piece hand insulator
- Durable lever guard that won't scratch your customer's vehicle – Made from Duratuff®



OPW 241TPS-0492 Ethanol Fueling Hose Swivel

- Allows for easy nozzle positioning in fill pipe – Utilizes Two Planes of Rotation
- Reduces premature hose wear – Utilizing two planes of rotation
- Added protection vs. thermal and chemical degradation – Dual Seals



MOVED DISPENSING HARDWARE SOLUTION IN THE INDUSTRY

Go to our family of 21st Century Green Nozzle Innovations.

hardware solution for Ethanol applications UL listed up to 85% Ethanol.




OPW 66V-0492 Ethanol Fueling Hose Breakaway

- Prevents costly damage to dispensers – Pulls apart at less than 300 lbs. during drive-off
- Certainty of operation – Designed for single use, so you know it is replaced instead of re-assembled
- Prevents hazardous and costly clean up – Unique double poppet design closes leak path from both dispenser and hose side

10 Plus Series Emergency Shut-Off Valve

- Provides peace-of-mind comfort that an unnecessary risk of leak has been eliminated at your site
- Helps to eliminate health, environmental contamination and fire hazards that could result from fractured valves leaking into sumps
- Prevents undetected product loss – Patent Pending SmartGuard™ Design
- Prevents hazardous and costly clean-up - Unique double poppet design closes leak path from both dispenser and pipe side



**UL Listed
for up to
85%
Ethanol**

Learn more about the features and benefits of the OPW's 21st century green nozzles at: www.opw21ge.com



OPW – For a Cleaner, Greener World

Environmental Sustainability is a Cornerstone of OPW's Purpose and Product Offering

At OPW, we believe green is good business, which is why we are committed to providing the most compelling, reliable and ethanol compatible fueling solutions in the business. Our solutions help promote safer, more efficient and environmentally sustainable fueling operations worldwide.

OPW is leading the way in environmentally responsible product innovation. From ethanol-compatible products to CNG, Hydrogen and LPG fueling solutions, we are committed to helping protect our world.








We are not alone in our mission. OPW is part of Dover Corporation, a multi-billion dollar industrial conglomerate committed to global environmental sustainability. Around the world, Dover companies, such as OPW, are helping to protect the long-term well-being of the environment, from greenhouse gas and water reductions to increased environmental protection and energy efficiency.

*OPW is part of the DOVER Corporation sustainability initiative.
To find out more, visit www.dovercorporation.com*

Don't Take a Chance on Other Equipment – Trust Only Authentic OPW UL Listed Fueling Equipment

Ordering Specifications



	MODEL NO.	DESCRIPTION	UL FILE #
	21GE-0492	New E85 3/4" Automatic Nozzle, Black	MH 1942
	21GE-0992	New E85 3/4" Automatic Nozzle, Yellow	MH 1942
	66V-0492	New E85 3/4" Single Use Breakaway	MH 18037
	241TPS-0492	New E85 3/4" Two Plane Swivel	MH 4542
	10P-0152E85	New E85 1 1/2" Double Poppeted Emergency Shut-Off Valve	MH 6535

Learn more about the features and benefits of OPW's 21st century green nozzles at: www.opw21Ge.com



North America Toll Free – TELEPHONE: (800) 422-2525 ♦ Fax: (800) 421-3297 ♦ Email: domesticsales@opw-fc.com
International – TELEPHONE: (513) 870-3315 or (513) 870-3261 ♦ Fax: (513) 870-3157 ♦ Email: intlsales@opw-fc.com
www.opwglobal.com

OPW Fueling Components ♦ 9393 Princeton-Glendale Road ♦ Hamilton, OH 45011 ♦ Printed in USA

IMPORTANT: NOTICE: FlexWorks by OPW, Inc., VAPORSAVER™ and all other OPW products must be used in compliance with all applicable federal, state, provincial and local laws, rules and regulations. Product selection must be based on physical specifications and limitations, compatibility with the environment and material to be handled. All illustrations and specifications in this literature are based on the latest production information available at the time of publication. Prices, materials and specifications are subject to change at any time, and models may be discontinued at any time, in either case, without notice or obligation.